

Refrigerator-Freezer 冷藏冷凍雪櫃 OPERATING INSTRUCTIONS 操作指引



MODEL 型號 **MR-LX68EM**



Contents 日錄

C	Page 頁碼	
Before use 使用前	For your safety, please be sure to follow these instructions 爲了安全請務必遵守	2-3
Befor 使用前	From installing to running your refrigerator 從安放冰箱到開始運轉	4 - 5
	How to Use the Operation Panel 如何使用操作面板	6 - 7
Operation 使用方法	Using each compartment 各間格的使用 Refrigerator / Sliding case / Vegetable and Freezer Compartments 冷藏室・保鮮室・蔬果盒・冷凍室	8-10
	Automatic Ice-Maker 自動製冰機	11-12
	Energy Saving Mode/Performing Temperature Adjustment/Rapid Cool 節電模式/操作溫度調整/念冷藏	13-15
Cleaning ^呆 養	How to remove and clean accessories 附屬品的拆下方法與清潔	16-17
Sle∂ ₩₩	How to maintain your automatic ice-maker 自動製冰機的保養	18
Ot 其任	19-26	
Ac 配何	27	



Non-Freon Refrigerators

This refrigerator uses non-Freon refrigerant (isobutane) and non-Freon foam insulation (cyclopentane). These materials are harmless to the environment, which does not affect the ozone layer and global warming.

非使用氟利昂的雪櫃

這個雪櫃使用非氟利昂冷媒(異丁烷)和非氟利昂發泡隔熱材料(環戊烷) 這些物料不會對環境造成破壞,也不會破壞臭氧層以及使全球暖化問題惡化。

Please read this manual carefully and follow the information contained within. In particular, be sure to read the safety precautions before using this refrigerator.

Be sure to receive your copy of the warranty from the retailer and confirm that the purchase date and retailer name are written on the warranty.

Store this operating instructions manual and the warranty in a safe place.


This refrigerator was manufactured for refrigerating and freezing of foods in general households. For commercial use, please use a commercial refrigerator-freezer. The principal plastic components indicate the material name to facilitate recycling.


■ 請細閱此說明書,並依照書中指引使用雪櫃。使用雪櫃前,請務必細閱有關安全措施。

- 請確定已從經銷商處取得保養書。保養書上應列明購買日期及經銷商號。
- 請將此使用說明及保養書妥爲保存。


■ 此冷藏冷凍雪櫃只宜作為一般家居冷藏及冷凍食物用。如要作商業用途,請另購商用冷藏冷凍雪櫃。

■ 主要塑料組成部份顯示有物料的名稱,以方便循環再用。





From installing to running your refrigerator



Where to install your fridge

- Install in a place where there is no direct sunlight or heat, and with good ventilation. This protects against a decrease in cooling power and saves on electricity bills.
- Install in a place with low humidity. This prevents rust, electric shock or fires from occurring.
- Install on a solid and level floor. This prevents vibrations, noise, and partially open doors or doors left ajar.

Prevent changes or discoloring by its mass or heat.


- If the refrigerator adjustment feet sink easily into the flooring material, please lay a strong board on top of the flooring.
- Install away from other appliances. This prevents noise or image disturbances to the television, etc.
- Leave a space of more than 3 cm to the left and right, and more than 10 cm from the ceiling, and more than 5 cm from the back.
 - This is to allow heat to escape from the top, the back and sides.
 - % If refrigerator is too near to the wall, it will cause the sound. Please care to remove the dust within the gap.

Do not install in an outdoor area where water can get on it or where there is a lot of moisture. Due to insulation failure, it may cause an electric shock or fire.

Always follow

Allow some space around the refrigerator.

follow If the refrigerant (gas) leaks, it can remain in the area and there's a risk that it may cause a fire or explosion.



Earth Wire

Earth screw connection

(copper wire, diameter 1.6mm) %Please purchase at the store where you purchased your refrigerator.

Turn on the power of the refrigerator as soon as possible. The refrigerator will not be damaged even if you turn on the power immediately after the installation.

Use a dedicated outlet for the power supply that meets the rating specified on the rating label. (The rating label is located on the door-liner of the refrigerator compartment.)


To prevent electric shock, installing an earth wire is recommended.

Install an earth wire or an earth leakage circuit breaker, especially when installing takes place where there is a lot of dampness (wooden floor, washing room, basement, etc.).

How to connect the earth wire

If there is an earth terminal

Connect the earth wire to the earth connection screw ($(\underline{\bigcirc})$), and attach the earth terminal. Also, for the earth wire (copper wire, diameter 1.6mm), please purchase at the store where you purchased your refrigerator.




If you do not have an earth terminal

Request one at the store where you purchased your refrigerator and have the earthing done. (D-class earthing/grounding – to be paid for by customer.)

Do not install in these places

• Water pipes, gas pipes • Telephone lines or a lightening rod earth (due to risk of electric shock, (dangerous if lightening strikes.) explosion.)



Before use

Operation

Cleaning


When in trouble





How to Use the Operation Panel


Touching will cause the operable icons to light up.


To save power, all displays other than **m** are usually turned off (it turns off if there is no operation for about 30 seconds).













Vegetable compartment Please insert fruit, vegetables and drinks. If you wrap fruit and vegetables, they will stay fresh longer. **Sliding Case** For smaller items that get damaged easily such as tomatoes and fruit. Vegetables Case LED light in the vegetable compartment The LED light with specially selected light spectrum installed in the Vegetable compartment can increase the Vitamin C and preserve freshness in green vegetables by introducing photosynthesis process. Please note Do not put tall items in the sliding case. It can damage food items or damage the sliding case. If the sliding case is taken out and used separately, the vegetable compartment will become dry. Suggestions Store vegetables using transparent containers or wrappings to enable exposure to the LED light. • With exposure to the LED light, photosynthesis process for green vegetables will be enabled, the effect will depends on the initial freshness of the vegetables stored. Do not use any sharp objects to scratch or adjust the LED light to prevent damage which may affect its normal operation and effectiveness. If the LED light is damaged or not operating, do not adjust or repair, please seek technical assistance from the authorized service center. Freezer compartment Approx.-21°C~-17°C You can store frozen food, ice cream, bread, meat, fish, etc. Freezing Case (upper) Ice Storage Container Freezing Case (lower) Door alarm will inform when the door is left open ⇒Page 20 Notice Put foods in the Freezing Case to below the embossed line level seen at the front. Maximum level for storing foods Freezing Case (upper) • When closing the door, food can get in the way causing the door not to close properly. This can cause frost to form Door in the inside, or improper freezing, and will cause a malfunction. This may damage food and the freezing case, as well as

Maximum level for storing foods Freezing Case (lower)

* For the temperatures indicated, the freezer and refrigerator compartments were adjusted at the "Normal" position, with an ambient temperature of 30 °C, with refrigerator doors closed and containing no food; after the temperature stabilized, the temperature criteria was measured toward the lower-mid interior of the refrigerator.


the automatic ice-maker.






Energy Saving Mode

This mode learns each family's method of use and operates with the optimal state for each compartment.





About About 6°C -16°C High About About 5°C -17°C Average About About 3°C -19°C About About 1°C -21°C Low About About 0°C -22°C

When food freezes When the surrounding temperature is 5° C or less

Normally

LESS

COLD

COLDER

COLD

LESS COLD

COLD

COLDE

When the Sliding Case(lower) does not cool well


Notice

The temperatures described here are measured in the lower centre of the refrigerator after the temperature has stabilized when the surrounding temperature is 30°c and the doors are closed without any food inside. The temperature fluctuates with factors such as food storage conditions and how often the doors are opened and closed.

C Before and after defrosting, the temperature inside the refrigerator may drop or rise temporarily.

C When food freezes in the refrigerator compartment or lower case, set the refrigerator temperature setting to COLD - LESS COLD and the lower

case temperature setting (when Supercool Chilling is set) to LESS COLD.



How to remove and clean accessories



Unplug the electrical plug. If it is not unplugged, it will cause an electric shock.



Do not take apart, repair or convert. Do not continue to use with damaged parts. This can cause injury, an electric shock or a fire.

Wait 10 minutes or more before you replug the electrical plug into the outlet. If you plug it in immediately after unplugging it, the refrigerator will not run.

How to maintain Q&A

Q. If dirt is noticed.

A. Please wipe as soon as possible.


- Wipe with a soft towel soaked in warm water.For hard to remove dirt, please use a kitchen
- detergent (neutral type) and wipe off with water.
- Wipe off oil stain or citrus juice immediately.

Door packing may cause damage or cold air leakage if you leave the dirt. Please wipe off the moisture with dry towel after wipe off with soft and soak towel.

Q. Can the shelf, case and pocket be removed?

A. For removable parts, please see ⇒ Page 17

Please take heed



Power Plug

Always follow

instructions

For safety, please periodically check the power plug and cords.

periodically.

Unplug the electrical plug from the outlet and inspect.
Is there any damage or abnormal heat coming from the plug or cord?
Wipe away dust from the plug area with a dry cloth.
Insert the electrical plug fully into the outlet.
Wipe out the dust in power plug

It may cause fire or insulation failure.

Refrigerator rear side and floor


Dust and dirt can accumulate in the ventilation space behind the refrigerator. Please clean periodically for energy saving purposes.

Remove the toe grille.

Do not do

- Turn the adjustable supports to raise them from the floor,and pull out the refrigerator.
 We recommend laying out protective material on the floor to prevent the floor from being damaged.
 Also, be careful not to injure yourself.
- Remove the dust from the rear panels, walls and floor, and wipe off any dirt.
- Check for water dripping on the floor.


Do not put your hands or feet under the refrigerator. It may cause injury.



How to maintain your automatic ice-maker

Please periodically clean to prevent the occurrence of water scale, mold, etc. Please remove water when not making ice. The because it may cause deformation.

For once-a-week Water supply tank / Purification filter



• Please attach the lid of water supply tank securely. If the lid is not attached properly, the lid may be out and the water supply tank will fall.

Other Issues (Power Outages, Child Safety Lock, Setting Reset, When Est Lights Up)

Power Outages

- Minimize the frequency of opening the doors, and avoid adding more food.
- Operation panel settings other than the temperature settings may change. Check the settings. (Child Safety Lock, etc.)

To Prevent Accidental Button Operation (Child Safety Lock)

Locks the operation panel to prevent accidental icon operation by children.

- Touch for about 5 seconds or more when the door is closed (until the buzzer sounds).
 - **ro** lights up when the setting is finished.
 - Setting cannot be changed during Child Safety Lock.

To Cancel

Again, touch if for about 5 seconds or more when the door is closed (until the buzzer sounds).
 goes off when the setting is cancelled.

To Reset Settings

Returns the settings to their initial conditions (at the time of purchase), for example if you have forgotten the settings.

**

Energy Saving Mode

Ð

- 1 Touch 🖽 to light up an icon.
- 2 Touch is for about 10 seconds (until the buzzer sounds twice).

Rapid Cool


- The following settings will be reset.
- Supercool Chilling
- The "ICE STOP" setting for ice making will not be reset.

When **EMO** Lights Up

When **Desco** lights up, the refrigerator is in demonstration mode. The refrigerator does not cool in this mode. Contact the retail store where you purchased the refrigerator, or cancel the demonstration operation with the following procedure.

To Cancel

- 1 Keep the doors of the freezer compartment open.
- Light up the icons and press , k, and the same time for < at least 5 seconds.</p>
- **3** Check that **DEMO** is turned off.
 - The demonstration mode was not cancelled if it lights up.



When in trouble

Before

use

Operation

Cleaning


Other Issues (Door Alarm, Ino) Mark, When Not Using the Refrigerator for a Long Time)

When the Door Alarm Sounds and the Interior Light of the Refrigerator Compartment Blinks (Door Alarm)

The door alarm (with alarm sound, interior light, and compartment display) is activated when a door is open for 1 minute or longer.

The pattern of the door alarm sound and the action of the interior light and compartment display area are as follows depending on how long the door has been left open.

Time for which the door left open	1 minute	2 minutes	3 minutes	4 minutes	5 minutes or longer	60 minutes or longer
Alarm sound		4 short beeps, then 3 long beeps	4 short beeps, then 4 long beeps	After 4 short beeps, Continuous long beeps	Continuous s	hort beeps
Interior light	On		Blinks twice per minute Off			
Compartment display area	The compartment display area will blink in synchronization with the alarm sound					



 Check that the doors are not left ajar or do not have any food trapped (the packing, the back of the drawer cases). (Check at least once a month.)

- Refrigerator and Freezer doors have an opening and closing sensor.
- Check the refrigerator compartment door rotating partition.
 Page 8

When the Alarm Cannot be Turned Off

Check that there are no gaps between the door.

When the alarm cannot be turned off, there may be a malfunction and an inspection is required. Contact the retail store where you purchased the refrigerator.

- To Stop the Alarm (Continuous Short Beeps)

The alarm can be temporarily stopped in the time before the refrigerator is repaired.

Press of for at least 5 seconds.

* If performing the above operation does not turn off the alarm, or the alarm periodically sounds, check peripheral machinery as well.

When the Mark Blinks Rapidly (About 5 Times per Second)

When the refrigerator will not cool, there may be a malfunction and an inspection is required. Contact the retail store where you purchased the refrigerator.

When Not Using the Refrigerator for a Long Time (When the Power Plug Is Unplugged)

- Set to the "STOP" ice making mode. → Pages 12
 - Check that STOP ICE is lit. Clean the auto ice-maker + Pages 18
- 2 Remove the power plug.
- S Empty any water or ice from the water tank, and ice storage box and clean.

Wash the water tank, water supply pump, tank pipe, tank cap, lid, water supply pipe, ice storage box, soundproof mat, and ice server, dry them completely, and then return them to their original positions. **Pages 18**

- Do not dispose of noise reduction mat.
- Gean the interior of the refrigerator and open the doors for 2 to 3 days to dry the inside.
 - * If the refrigerator is not dried sufficiently, it may cause mold, odors, or refrigerant (gas) leaks due to condenser corrosion.

Notice

• Wash the water tank, water supply pipe, and before making ice for the first time, or if you have not made ice for more than a week. Odors or dust may be adhering to the parts.

Other Issues (To Move or Transport the Refrigerator)

port

Front lower

inside

To Transport the Refrigerator

- Empty any water or ice from the water tank, ice tray, and ice storage Drainage box.
 Pages 18
- 2 Wear protective gear (gloves).
- 3 Remove the adjustable support cover, and then rotate and raise the adjustable supports.
 Page 5
- 4 Remove the power plug.
- 6 Lay towels under the drainage port and the lower rear edge of the refrigerator, and position a container or tray with a height of about 3 cm on the towels to collect the water.
 - * The towels prevent floor damage, and water from being spilled on the floor.
- 6 Tilt the refrigerator slowly to the rear by about 30 degrees, and drain the water from the evaporation tray via the drainage port on the lower rear side. (The evaporation tray is not visible from the outside.)
 - * Because the refrigerator is heavy, the work must be performed by at least 4 people.
 - * The work must not be performed by small children or people who are not capable of doing heavy work. Ask a specialist transportation company.
- 4 or more people should hold the hand-holds on the bottom and the upper part of the rear side and the hand-holds on the lower inside part of the front side and the upper side of the rear, and carry the refrigerator slowly.
 - Do not lay down the refrigerator on its side. (The compressor may be damaged.)

When the Transportation Time Is Long, for Example When Moving House


• Frost from the condenser inside the freezer compartment will melt, and may spill water when the refrigerator is transported. It may take 1 day to defrost after unplugging the power plug.



Do not damage the refrigerator's refrigerant circuit (pipes). Because combustible refrigerant is used, this may result in fire or an explosion.

To Move the Refrigerator in Forward and Backward Directions

- Remove the adjustable support cover, and then rotate and raise the adjustable supports cover. → Page 5
- 2 Lay protective material under the casters and rear supports to prevent damaging the floor.
- Move the refrigerator in the forward and backward directions.
 - * Moving in any direction other than forward and backward may damage the floor. Please make sure to lay protective material such as a plate or board on the floor.





Before

use

Operation


Cleanin

Other Issues (Temperature Fine Adjustment Mode)

To Control the Temperature More Precisely (Temperature Fine Adjustment Mode)

The temperature can be set to 11 different levels for the refrigerator compartment and freezer compartment,

• When temperature fine adjustment mode is set, the compartment display blinks about every 10 seconds.





7

8

9

Refrigerator Compartment / Freezer Compartment





COLD COLDER	1(
COLD COLD	1-
COLD COLD	


10	COLD COLD COLDER
11	COLD COLD COLDER

* represents a blinking display.

Troubleshooting

Before contacting MITSUBISHI ELECTRIC SERVICE CENTRE or its service agent or making a repair request, check the following.

If the problem persists, contact the retail store where you purchased the refrigerator as soon as possible. Frequently asked questions in the initial period and in summer



Troubleshooting (Continued)

	Problem	Check	Explanation and Action
Automatic Ice Making	Cannot make ice Water in the tank	• Has enough time passed after installation?	It takes 4 to 5 hours for the refrigerator to cool, and 24 hours or more in summer to make ice.
	stays at the same level	Has food, the ice server, or another object been left in the ice storage box? Also, has the ice been leveled?	Remove food or other objects from the ice storage box. The ice storage box is judged to be full of ice. Also, spread the ice out flat all the way to the front.
		Is the ice making setting for the ice making compartment set to "STOP ICE"?	Set the ice making compartment's setting to the ice Page 12
		Is the water supply pipe installed correctly in the tank holder area?	Remove any foreign objects creating gaps and install the pipe so that it is not loose. Page 18
		S Are the water supply pump and tank pipe installed correctly onto the water tank?	Check that they are correctly installed. In particular, ensure that the opening of the tank pipe inside the tank is installed firmly to the tank.
	Water tank or water supply pipe freezes	 Are the water supply pipe and water tank installed to the refrigerator without any gaps? Additionally, is the tank pipe installed to the water tank without any internal gaps? 	Check the installation around the water tank. If there are gaps, the cold air may escape and water may freeze.
	Ice is small or joined together	Has ice been stored inside the ice storage box for a long time?	Ice stored inside the ice storage box for a long time may shrink or join together (due to a phenomenon called sublimation). When not using ice, it is recommended that you remove the water and stop the ice making.

Troubleshooting (Continued)

		_	-
	Problem	Check	Explanation and Action
Sound	There is a rattling sound	 Are any nearby objects in contact with the refrigerator? Make sure that the water tank and water supply pipe are properly installed. 	Leave space around the refrigerator. When objects or walls are in contact with the refrigerator, sounds may be heard. Push in the water tank until it touches the rear side. If it is out of position, the sound of the water supply pipe can grow loud. If there are any gaps or looseness, the water may freeze, causing sounds to be heard.
	Loud noises Worrisome noises (Noises described on the	The noise gets louder suddenly or the tone changes.	Immediately after beginning use, when the weather is hot, when the doors are frequently opened and closed, and in similar situations, the refrigerator switches to high-speed operation and cools with high power.
	right are normal)	 A whistling sound is made after closing a door. A whipping or dripping sound is sometimes heard from inside the refrigerator after a door is opened. 	This is the sound of the cooling fan motor starting. This is the creaking sound as warm air enters and expands the plastic.
		Sometimes the sound of flowing or boiling water can be heard.	This is the sound of the refrigerant (gas) flowing.
		A rattling or squeaking sound is made sometimes (every 1 to 2 hours).	This is the sound of the automatic ice maker. Even when there is no water in the water tank, the automatic ice maker and pump make a sound about every 100 minutes.
		6 After turning on the power, a thumping or creaking sound may be heard in the ice making "STOP ICE" mode (every 1 to 2 hours).	This is the sound of the operation check. The check is performed even in the "STOP ICE" ice making mode.
Door	Doors do not close Doors open easily	Is a door making contact with food or a case? Is too much food packed inside?	Store food so that the door does not make contact with the food when closed. In the refrigerator compartment, store food on the shelves and in the drawer doors store food so that it does not make contact with the ceiling when doors are shut and opened.
		As food fallen behind a case in a drawer door, or is the power cord or another object trapped between the refrigerator and a door?	Remove any objects. Make sure that the door does not trap objects such as food, power cords or plastic bags.
		 Is the refrigerator installed stably? Are the adjustable supports making contact with the floor? 	Lower the adjustable supports to raise the front side slightly and make the doors easier to close. Page 5
	The alarm will sound	Check if the doors are closed.	Refer to "When the door alarm sounds" and "When the alarm cannot be turned off".
e	The operation panel does not		Cancel the Child Safety Lock. Page 19
peration Panel	respond	Are the user's fingers or the operation panel wet or dirty?	Wipe off the moisture and dirt on the operation panel and fingers.
iion		Are you repeatedly touching it?	Let your finger off the operation panel once and then touch it again. It will respond when you let you finger off.
erai		Are seals and tapes put on the operation panel?	Remove the seals and tapes.
ð	Reacts without a touch	• Are there any towels, plastic bags, papers, etc. over the operation panel?	Remove the towel, plastic bag, paper, etc.
Condensation/ Frost	Condensation forms on the outer walls and inside the refrigerator	Are the doors being opened frequently, or are there any gaps?	Close the doors so that there are no gaps. When moisture in the air cools, it forms frost or condensation. When there is high humidity, condensation or frost will form even in very small gaps. Regarding the Vegetable Compartment Page 10
idensat	Frost forms in the freezer compartment	Is the humidity high, for example is it raining?	Condensation may form temporarily. Wipe off with a dry cloth. Condensation may cause frost to form in the freezer compartment. Please minimize the time when doors are kept
Con	Water drips onto the floor		open.

When in trouble

Troubleshooting (Continued)

	Problem	Check	Explanation and Action
thers	There are lines like scratches on the clear parts	Is it a thin line without level difference on its both sides?	This is a mark created at the time the plastic is molded. It is created at the joint where resin flows. This is not a flaw.
Ō	There are holes in the door and the refrigerator walls	Are there small holes in the door or in the refrigerator walls?	These are holes that let air escape for the injection of foam heat insulating materials in the manufacturing process. These are not flaws or abnormalities.
	The surface of the sides or doors is warped	Does the light reflected on the surface appear distorted?	Warping and surface waviness occurs in the manufacturing process. When light hits the surface, it may appear warped, but this is not an abnormality.
	Noise interferes with televisions	Is the refrigerator installed near an electronic device such as a television?	Install the refrigerator away from electronic devices such as televisions.
	or other devices	Is the power to the refrigerator supplied from a socket near the entry hole of the antenna cable?	Use separate power. When using a 2 pin plug, use grounding.
	There is a bothersome smell (Food / Ice)	Have you placed food with strong odor inside the refrigerator without sealing it in a container?	Store food with strong odor in packaging. The odor may not be removed with a deodorizing apparatus.
		2 Do you periodically clean the water tank?	Clean periodically. Page 18

Accessories

	Model name	MR-LX68EM
	Accessories	Quantity
	Glass shelf	2
	Sliding case (upper)	1
rent	Sliding case (lower)	1
Refrigerator compartment	Water supply tank (including purification filter)	1
duos	Free pocket (large)	2
ator	Free pocket (small)	2
igera	Free egg tray	1
Refr	Bottle pocket	2
	Capsule door pocket	1
Vegetable	Vegetable case	1
compartment	Sliding case	1
	Freezing case (upper)	1
+	Freezing case (lower)	1
Freezer mpartmen	Ice storage box	1
Freezer compartment	Noise reduction mat	1
0	Ice server	1
	Leg support cover (Right and Left)	1

This appliance is designed for use in Singapore, Malaysia and HongKong only and can not be used in any other country. No servicing is available outside of Singapore, Malaysia and Hong Kong.

MODEL NAME	COUNTRY NAME
MR-LX68EM-P	SINGAPORE
MR-LX68EM-ML	MALAYSIA
MR-LX68EM-H	HONG KONG

CAUTION

1. This appliance is designed for use in ambient temperature listed below.

MODEL NAME	AMBIENT TEMPERATURE RANGE	CLIMATIC CLASS
MR-LX68EM-P	16 °C ~ 43 °C	Т
MR-LX68EM-ML	16 °C ~ 43 °C	Т
MR-LX68EM-H	16 °C ~ 38 °C	ST

The internal temperatures could be affected by such factors as the location of the refrigerating appliance, ambient temperature and the frequency of door opening, and, if appropriate, a warning that the setting of any temperature control device might have to be varied to allow for these factors.

2. A rise in temperature of the frozen food during manual defrosting, maintenance or cleaning could shorten the storage life. 3. Food to be frozen is not to be placed in direct contact with food in storage and, if appropriate, that it could be necessary

 Food to be frozen is not to be placed in direct contact with food in storage and, if appropriate, that it could be necessary to reduce the quantity to be frozen if freezing every day is anticipated.
 The electrical power failure for 1-2 hour will only slightly affect the inside temperature. However, opening and closing the

door results in temperature loss. In case there is more than 24 hours electrical power failure, the food should be taken out from the fridge.

5. In case you are leaving or there is no food in the fridge for more than 3 weeks, The fridge should be unplugged and cleaned.

- WARNING: Keep ventilation openings, in the appliance enclosure or in the built-in structure, clear of obstruction.
 This appliance is designed for use in Singapore, Malaysia,
- This appliance is designed for use in Singapore, Malaysia, Hong Kong only and cannot be used in any other country. No servicing is available outside of Singapore, Malaysia, Hong Kong.
- This refrigerator uses flammable foaming gas for insulation. Please deliver the unit to specialized industrial waste dealer when you do away it. Please follow the rules in your country.
- The appliance is not intended for use by young children or infirm persons without supervision.
- Children should be supervised to ensure that the refrigerator is used properly.
- WARNING Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.
- WARNING Do not use electrical appliances inside the food storage compartments of the appliance, unless they are of the type recommended by the manufacturer.
- In case the refrigerant circuit is damaged, do not use any electric appliances or fire equipment nearby, and open all windows to provide good ventilation. Please also contact your local maintenance agent to follow up.
- The refrigerator contains flammable refrigerant (R600a: iso-butane).
- The refrigeration system behind and inside the refrigerator contains refrigerant. Do not allow any sharp objects to come into contact with the refrigeration system behind and inside the refrigerator.
- Do not block the area in the vicinity of the refrigerator.
- The warning labels mentioned above shall be kept throughout the life cycle of the refrigerator. The user manual should be handed over to any person who would use or handle the refrigerator whenever the refrigerator would be transferred to another location and delivered to a recycling plant.

- 警告:須確保產品外圍或嵌入結構的通風位置 没有阻礙物。
- 本產品是專供新加坡、馬來西亞、香港使用, 在任何其他國家不能使用。新加坡、馬來西亞、 香港以外國家和地區不提供服務。
- 這台冰箱使用易燃發泡氣體絕緣。 當你要廢棄它時,請將其送到專業的廢品處理 商那裡,請遵守您國家的規則。
- ■該設備不適合青少年兒童或體弱者在沒有監督 的情況下使用。
- 小孩子應在看管下妥善使用冷藏櫃。
- 警告:切勿使用非由製造商建議的機械工具或 其他方法加速除霜過程。
- 警告:切勿在冷藏櫃的食物儲蓄格內使用任何 非由製造商建議的電器用具。
- 如製冷迴路遭到損壞,切勿使用鄰近的電力器 具或明火設備,以及打開窗戶讓空氣流通, 並請即時聯絡維修保養代理跟進。
- ■本雪櫃含有易燃的冷媒 (R600a: 異丁烷)。
- 冰箱背面及內部的製冷系統包含製冷劑。
 嚴禁以任何尖銳物件碰觸製冷系統。
- 切勿堵塞冷藏櫃周圍的空間。
 上文所述的警告標籤必須永久貼於冷藏櫃上。
 如冷藏櫃要搬到另一地方或回收,應把用戶使
 用說明書交給將會使用或處理該冷藏櫃的人士。

MITSUBISHI ELECTRIC CORPORATION

HEAD OFFICE : TOKYO BUILDING 2-7-3, MARUNOUCHI, CHIYODA-KU, TOKYO 100-8310, JAPAN PHONE: +81 (3) 3218-2111

三菱電機株式会社

總公司:〒100-8310日本東京都千代田區丸之內2-7-3 (東京大廈) 電話:+81 (3) 3218-2111

SOLE AGENT in Hong Kong MITSUBISHI ELECTRIC (HONG KONG) LIMITED 20/F., Cityplaza One, 1111 King's Road, Taikoo Shing, Hong Kong Tel. (852) 2510 0555 Fax: (852) 2234 5138

香港總代理 三菱電機 (香港) 有限公司 香港太古城英皇道1111號 太古城中心一座 20樓 電話: (852) 2510 0555 傳真: (852) 2234 5138

SOLE AGENT in Singapore MITSUBISHI ELECTRIC ASIA PTE LTD 307, ALEXANDRA ROAD # 05-01/02 MITSUBISHI ELECTRIC BUILDING SINGAPORE 159943 Head Office: Tel. (65) 6473-2308

SOLE AGENT in Malaysia MITSUBISHI ELECTRIC SALES MALAYSIA SDN. BHD. (CO.NO.:11098W) LOT 11, JALAN 219, PO BOX 1036, 46860, PETALING JAYA, SELANGOR DARUL EHSAN, MALAYSIA. Head Office: Tel. (603) 7955-2088 (10 lines)

MITSUBISHI ELECTRIC CORPORATION

NZ79C692H01