


Refrigerator-Freezer 冷藏冷凍雪櫃 OPERATING INSTRUCTIONS 操作指引



MODEL 型號

MR-LX68EM



Contents 目錄

Page 頁碼

		. ago 🙊 🎮
Before use ^{英用前}	For your safety, please be sure to follow these instructions 爲了安全請務必遵守	2-3
Befor 使 ^用	From installing to running your refrigerator 從安放冰箱到開始運轉	4 - 5
	How to Use the Operation Panel 如何使用操作面板	6 - 7
Operation e用方法	Using each compartment 各間格的使用 Refrigerator/Sliding case/Vegetable and Freezer Compartments 冷藏室・保鮮室・蘋果盒・冷凍室	8-10
Opera 使用方法	Automatic Ice-Maker 自動製冰機	11-12
	Energy Saving Mode/Performing Temperature Adjustment/Rapid Cool 節電模式/操作溫度調整/急冷藏	13-15
Cleaning 幂業	How to remove and clean accessories 附屬品的拆下方法與清潔	16-17
Cle?	How to maintain your automatic ice-maker 自動製冰機的保養	18
Ot 其作	19-26	
Ac 配	27	



Non-Freon Refrigerators

This refrigerator uses non-Freon refrigerant (isobutane) and non-Freon foam insulation (cyclopentane). These materials are harmless to the environment, which does not affect the ozone layer and global warming.

非使用氟利昂的雪櫃

這個雪櫃使用非氟利昂冷媒(異丁烷)和非氟利昂發泡隔熱材料(環戊烷)。 這些物料不會對環境造成破壞,也不會破壞臭氧層以及使全球暖化問題惡化。

- Please read this manual carefully and follow the information contained within. In particular, be sure to read the safety precautions before using this refrigerator.
- Be sure to receive your copy of the warranty from the retailer and confirm that the purchase date and retailer name are written on the warranty.
- Store this operating instructions manual and the warranty in a safe place.
- This refrigerator was manufactured for refrigerating and freezing of foods in general households. For commercial use, please use a commercial refrigerator-freezer.
- The principal plastic components indicate the material name to facilitate recycling.
- 請細閱此說明書,並依照書中指引使用雪櫃。使用雪櫃前,請務必細閱有關安全措施。
- 請確定已從經銷商處取得保養書。保養書上應列明購買日期及經銷商號。
- 請將此使用說明及保養書妥爲保存。
- 此冷藏冷凍雪櫃只宜作爲一般家居冷藏及冷凍食物用。如要作商業用途,請另購商用冷藏冷凍雪櫃。
- 主要塑料組成部份顯示有物料的名稱,以方便循環再用。

For your safety, please be sure to follow these instructions

The types of danger that can result from improper handling are explained in the sections below.



Mishandling can lead to serious injury or death.



Mishandling can lead to bodily injury or loss of home and household contents.

■ The symbols illustrated below have the following meanings.



Always follow instructions





Always connect an earth wire





Always unplug electrical plug from socket



When installing your unit



Do not install in an outdoor area where water can get on it or where there is a lot of moisture. A



Due to insulation failure, it may cause an electric shock or fire. → Page 4



instructions

Allow some space around the refrigerator.

If the refrigerant (gas) leaks, it can remain in the area and there's a risk that it may cause a fire or explosion. → Page 4

To be prepared for an earthquake, affix to a strong wall or column.

Not doing so may cause injuries from the refrigerator toppling over. → Page 5



an earth wire

Attach ground wire and earth leakage breakers when used in a humid or moist area.

(Please consult with the shop). → Page 4

It may cause electric shock when electric leakage. And the following ground connection may cause electric shock, explosion and fire.

- Water pipe/gas pipe.
- · Telephone ground lines and lightning rod.


About the electrical outlet and electrical plug



Do not do

Do not push the electrical plug with the back of the refrigerator. Do not damage the electrical cord.

If the plug is pressed by the refrigerator, or if the cord is bent, bundled, or a heavy object is placed on it, it can cause an electric shock or a fire.



Do not remove the electrical plug by pulling the cord. The cord can become damaged and can cause an electric shock or a fire

Do not plug or unplug the electrical plug with wet hands. It can cause an electric shock



instructions

Use a dedicated outlet for the power supply that meets the rating specified on the rating label. (The rating label is located on the door-liner of the refrigerator compartment.) Using an extention cord or plugging in too many power cords

into the outlet can cause heat buildup or a fire. - Page 4

Keep the electrical plug cord facing downwards and insert the plug in fully.

If it is plugged with the cord facing upward, extra pressure gets exerted on it which can cause it to heat up or ignite.

If the power cord is damaged.

If the power cord is damaged call Mitsubishi Electric Service Centre for a technician to replace power cord The power cord should be designed for this model.

About the electrical outlet and electrical plug



Remove dust from the electrical 💢 plug.

Not doing so can cause a fire from insulation failure.



When replacing the interior refrigerator light or when taking care of the unit, pull out the electrical plug.

g electrical Not doing so can result in an electric shock plug from socket or injury.

About using your refrigerator



Do not damage the refrigerant circuit (piping) of the refrigerator; do not drive in screws.

Because a flammable refrigerant (gas) is used, there is the danger of igniting or explosion.

Do not use electrical products inside the refrigerator unit.


If the refrigerant (gas) is leaking inside the unit, there is a risk that a spark from the electrical product's contact can be a source for ignition or explosion.

Do not store volatile products that can easily ignite. Benzine, cosmetics and hair styling products can be the cause for igniting fires and explosion.

Do not store pharmaceuticals or scientific test material. Anything that needs strict supervision must not be stored in a home-use refrigerator.

Do not place items on top of the refrigerator. Items may drop from opening and closing the door and can cause injury.

Do not hang on the door or door handle, and do not get on compartment drawer-type doors.



Do not add a strong impact on the glass shelf.

The glass has broken and it may cause injury.

Do not put your hands in the mechanical part of the automatic ice-maker (the upper part of the ice storage box). Doing so will cause injury.

Do not use flammable sprays nearby.

A spark from the electrical contact can ignite and cause a fire.

- This appliance is not intended for use by young children or infirm persons unless they have been adequately supervised by a responsible person to ensure that they can use the appliance safely.
- Young children should be supervised to ensure that they
- do not play with the appliance.

 This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. Children should be supervised to ensure that they do not play with the appliance.



When something abnormal or unusual occurs, turn off immediately and consult with "the store where you purchased the unit" or with a "Mitsubishi Electric repair counter."

Warning

About using your refrigerator



Do not use in a shed or a garage.

If small animals damage the wiring, it can cause an electric shock or a fire

Do not encapsulate refrigerant other than our specification.

> It may cause rupture, explosion, fire, etc. when using, repairing, disposal, etc.



Do not put any vessels, jars, etc. that contain water on top of the refrigerator.

If water gets onto electrical parts, it will cause an electric shock or a fire.

Do not wash with water or spill liquid food items on the unit.

If water and food liquids get on the unit, it can cause an electric shock or a fire. If that happens, dry off immediately



instructions

If you sense a gas leakage, do not touch the refrigerator. Open the window and ventilate the room.

A spark from the electrical contact can cause an explosion or a fire.

When the doors are opened or closed, beware not to hit any furniture.

The door or furniture may be damaged and cause any injury

About Malfunctions / Long Term Care



Do not take apart, repair or convert. Do not continue to use with damaged parts.

This can cause injury, an electric shock or



instructions

If the refrigerant circuit (piping) is damaged, do not touch the refrigerator, open the window and ventilate the room.

When the refrigerant circuit is damaged, Always follow please consult the store in which the unit was purchased.

> If you will not be using the refrigerator for a long period of time, after pulling out the electrical plug, open the door and let the interior dry out.

If it is not dried adequately, the cooling unit may corrode causing the refrigerant (gas) to leak which can then cause the danger of ignition or explosion.



If something abnormal occurs (such as a burning smell), pull out the electrical plug and stop the refrigerator from running.

If it continues to run in an abnormal state, electrical plug from socket

it can cause an electrical shock or a fire.

When Recycling

Always follow instructions

If there is a possible danger of a child getting trapped inside while the refrigerator is not in use, please pull off the door seal.

It is dangerous if the child gets shut inside.

When disposing of the unit, transfer it to the store that you purchased it or to the municipality.

If it is neglected and refrigerant (gas) leaks, ignition or an explosion may be caused due to heat from a fire.

Caution

Installing and Transporting



instructions

Install on a strong level floor and adjust the adjustable legs to fix firmly.

The refrigerator may move and cause injury.

→ Page 4~5

When carrying, use the handles made for carrying.

If other parts are held while carrying, it can cause injury. → Page 21

Be careful not to damage the floor or injure yourself when moving the refrigerator.

Lay a protective sheet on the floor and move the refrigerator slowly.



About using your refrigerator



Do not force food items into the refrigerator. Do not use force to pull out shelves.


Food items may fall out, causing injury.

Do not store bottles in the freezer compartment.

If the center freezes and bottles crack, it will cause injury.

Do not place your hands or feet under the refrigerator.

You can get injured from something such as the steel plate.



Doing so may cause food poisoning or other

Observe the following when opening and closing the doors.

- Do not open or close the doors when another person is touching the refrigerator.
- Do not put your fingers on the top edge of a drawer type door while closing it.
- · Do not open or close the doors with excessive force. (Food may fall out and cause injury.)
- · Be careful not to trap your fingers or any other part of your body.
- Be careful not hit a part of your body.
- Do not trap your feet with the bottom drawer. (Danger of your toes caught by the drawer.)

Not doing this may cause injury.

Do not touch foods or containers in the freezer compartment with wet hands.

Doing so can cause freezer burn.





Please take care when removing ice from the ice box.


Built-up frost may cause injury when removing



Make sure that glass shelves or pockets are attached properly.

If insufficiently attached, it may fall out and may cause injury.

From installing to running your refrigerator



Where to install your fridge

- Install in a place where there is no direct sunlight or heat, and with good ventilation. This protects against a decrease in cooling power
- and saves on electricity bills. Install in a place with low humidity.
- This prevents rust, electric shock or fires from Install on a solid and level floor.
- This prevents vibrations, noise, and partially open doors or doors left ajar.

Prevent changes or discoloring by its mass or heat.

- * If the refrigerator adjustment feet sink easily into the flooring material, please lay a strong board on top of the flooring
- Install away from other appliances. This prevents noise or image disturbances to the television, etc.
- Leave a space of more than 3 cm to the left and right, and more than 10 cm from the ceiling, and more than 5 cm from the back.

This is to allow heat to escape from the top,

* If refrigerator is too near to the wall, it will cause the sound.

Please care to remove the dust within the gap.



Do not install in an outdoor area where water can get on it or where there is a lot of moisture.


Due to insulation failure, it may cause an electric shock or fire.



Always follow

Allow some space around the refrigerator.

If the refrigerant (gas) leaks, it can remain in the area and there's a risk that it may cause a fire or explosion



Turn on the power of the refrigerator as soon as possible. The refrigerator will not be damaged even if you turn on the power immediately after the installation.

Use a dedicated outlet for the power supply that meets the rating specified on the rating label. (The rating label is located on the door-liner of the refrigerator compartment.)


To prevent electric shock, installing an earth wire is recommended.

Install an earth wire or an earth leakage circuit breaker, especially when installing takes place where there is a lot of dampness (wooden floor, washing room, basement, etc.).

How to connect the earth wire

If there is an earth terminal

Connect the earth wire to the earth connection screw $(\frac{1}{2})$, and attach the earth terminal. Also, for the earth wire (copper wire, diameter 1.6mm), please purchase at the store where you purchased your refrigerator.




If you do not have an earth terminal

Request one at the store where you purchased your refrigerator and have the earthing done. (D-class earthing/grounding - to be paid for by customer.)

Do not install in these places

Water pipes, gas pipes Telephone lines or a lightening rod earth (due to risk of electric shock, (dangerous if lightening strikes.)






⚠ Caution If the supports are not adjusted properly, the

* Before adjusting, please pull the leg cover to the front and remove it.

Please fix the tilt by adjusting the legs.


Please adjust the adjustable leg as the following picture to level the refrigerator.



XAfter several days from installing, it may sink to the floor by weight. Please re-adjust the adjustable legs again.

When the tilt cannot be corrected with the adjustable legs.


If installed in a corner of a room, there are times when one side of the back legs sinks into the floor. When that happens, please make adjustments in the rear with caster support (separately sold) or a strong board underneath (normally, the thickness of the board should be 2 - 3 mm.)




Model No.: MRPR-03CS

• After adjusting please insert the toe grille.

(Toe grille included in the refrigerator)





Start using

It takes time to cool down.

- · Put in warm food items or ice cream after the refrigerator has been adequately cooled down.
- · Keep opening and closing of the door for to a minimum. and open in a short time.
- · In the summer, it will take approx. 24 hours to make the first batch of ice.

It may smell of plastic.

- The smell will gradually disappear. Please ensure that the room is adequately ventilated.
- When the refrigerator is in cooling mode the following may occur (also occurs during summer).
 - · The side will be hot to radiate outside of the refrigerator for cooling.
 - · Operating noise may be loud due to the compressor running at a high speed operation.



Do not damage the refrigerant circuit (piping) of the refrigerator; do not drive in screws Because a flammable refrigerant (gas) is used, there is the danger of igniting or explosion.

Use in hot spring areas

Corrosion control treatment must be applied for the refrigerant circuit (pipe) due to generation of corrosive gases. Contact the retail store where you purchased the refrigerator.




How to Use the Operation Panel

Touching will cause the operable icons to light up.

To save power, all displays other than are usually turned off (it turns off if there is no operation for about 30 seconds).



When operating, be sure to touch the buttons with your fingers.



Operation Example (When Setting Supercool Chilling)




When you keep the door of the refrigerator open, touch for about 1 second. (until the buzzer

sounds once)

2 Touch the icon to set

Here touch


Confirm the setting details and compartment, then touch .





In ${\bf 2}$ and ${\bf 3}$, touching ${\bf m}$ returns the display to the previous state.

To Cancel the Setting/Cancel in the Middle



In the following cases, the display may not change even when you touch it.

The operation panel or your fingers are wet or dirty.



You are wearing gloves or have sticking plaster on your finger.



The interval between touches is too short. (Pressing repeatedly may cause a misdetection)




- $\ensuremath{ \ensuremath{ \en$
- Perform operations with your hands. After you have touched an icon, confirm that the display has changed before touching again.
- The response may vary, depending on the surrounding temperature, humidity, the health condition of the person who operates it, and the operating condition of neighboring electric appliances.


Using each compartment




Refrigerator compartment / Sliding case



Insert drinks or immediately used foods in refrigerator compartment. Sliding case can store meats, fish, dairy products, processed foods, etc. at a lower temperature than the refrigerator compartment.



Sliding Cases About -3°C to 3°C



At the time of purchase, the lower case is not set to Supercool Chilling.

When setting Supercool Chilling, use the following settings.

Sliding Case(Lower)

· Processed food such as sausage, ham and dairy

Supercool Chilling can be set with

- Food will not freeze, even below the freezing point (about -3°C to 0°C)
- The freshness of meat and fish can be prolonged without

Preserving Meat or Fish Below Freezing



Supercool

products can be preserved.

Do not store food that is easily frozen.

• The temperature cannot be adjusted.



Supercool Chilling stores and preserves meat or fish for a longer time at a temperature lower than the refrigerator compartment or upper case without freezing them.

Once it has been set, Supercool Chilling will be the default setting until it is disabled.

To Set

1 Touch on the operation panel



The text above the icon will light up.



The settings are finished.

It doesn't matter whether you put food in before or after the settings.

To cancel the setting → Page 7

* If you disable the setting, the lower case can be used in the same way as the upper case.

Supercool Chilling Is Very Useful





Because the food doesn't freeze, the fresh flavor lasts longer!




Meat and fish last longer and are fresher than in the refrigerator compartment or upper case!

Estimated Preservation Period

..Up to about 7 days

...Up to about 5 days ... Up to about Sashimi (Block)...








- Do not leave food hanging over shelves or pockets.
- O Do not place bottles that cannot fit all the way to the bottom of the bottle pocket.
- Do not attach a case that you purchased separately onto the outside of a pocket.
- O Do not heat the glass surfaces of the glass shelves or place hot objects on them.
- O Do not close the door while food is in front of the upper case or the lower case
- © Fully stow away the cases. Otherwise they may keep a door ajar and reduce the cooling performance, or food may fall and cause damage to a case.
- O Do not pile food to the top. Leave a gap so that cold air can flow to the ceiling and between food.

Notice


- © Because sliding cases cannot guarantee the guality of foods that easily freeze (such as tofu, konjac, raw eggs, vegetables, etc.), storing such foods is not suitable. Depending on the type and amount of food, as well as its condition at the time it is placed in the refrigerator, food may freeze.
- The temperature of the lower case (when Supercool Chilling is set) may exceed 0°C depending on the time of door opening/closing and the amount of food.



Vegetable compartment Approx.3°C~9°C



Please insert fruit, vegetables and drinks. If you wrap fruit and vegetables, they will stay fresh longer.



Please note


Do not put tall items in the sliding case.

- It can damage food items or damage the sliding case.
- If the sliding case is taken out and used separately, the vegetable compartment will become dry.


- Store vegetables using transparent containers or wrappings to enable exposure to the LED light.
- With exposure to the LED light, photosynthesis process for green vegetables will be enabled, the effect will depends on the initial freshness of the vegetables stored.
- Do not use any sharp objects to scratch or adjust the LED light to prevent damage which may affect its normal operation and effectiveness.
- If the LED light is damaged or not operating, do not adjust or repair, please seek technical assistance from the authorized service center.



Freezer compartment Approx.-21°C~-17°C




You can store frozen food, ice cream, bread, meat, fish, etc.



Notice

Put foods in the Freezing Case to below the embossed line level seen at the front.





- Freezing Case (upper) When closing the door, food can get in the way causing the door not to close properly. This can cause frost to form in the inside, or improper freezing, and will cause a malfunction.
 - This may damage food and the freezing case, as well as the automatic ice-maker.

For the temperatures indicated, the freezer and refrigerator compartments were adjusted at the "Normal" position, with an ambient temperature of 30 °C, with refrigerator doors closed and containing no food; after the temperature stabilized, the temperature criteria was measured toward the lower-mid interior of the refrigerator.

Automatic Ice-Maker

You can make ice cubes by puting water in the water supply tank of the refrigerator compartment. Please do periodically maintain to make a good ice cube by cleaning. Please drain the water in the water supply tank when you do not make ice.







When you will not make ice for a long time *Also do this when moving or transporting unit.

Empty the ice-making tray by taking out the ice or by forcing water to go into the ice storage box.

Take out the water supply tank, close the freezer door.

Press for about 5 seconds. (Press until it makes a beeping sound.)

and will blink for about 1 minute. (It drops down the ice-making tray's water or ice.)

When the light stops blinking, it will return to the previous indication.

Take out the freezing case (upper) and the ice storage box. And discard water or ice.

Freezing case (upper)


Stop making ice.

If light is on, to do ice-making stop proceedure and check to confirm that ight is on.

Wash with water, dry, and put back in place: the water supply tank (water supply pump, pipe, water filter), freezing case (upper), ice storage box and the noise reduction mat. → Page 18 To restart ice-making, to do ice-making restart proceedure and check to confirm that the light is on.



Please note



- Do not put the food items when making ice.
- Please do not store anything above the level on the side of the freezing case (upper).

(The door may half-open and it may cause failure/damage).

- Do not insert any drinks such as hot water, juice, tea, soft drink, etc. other than water in water supply tank (heatproof temperature 60°C).
 It may cause failure.
- Ice-making will stop when the amount of storage ice is given quantity.
 Ice cube will flat when it thick some, please insert ice server horizontally in front side of ice storage corner as the left figure.
- Please gently close the door of freezing compartment.
 Ice cube may get dirty.
- Do not insert water over full water mark in water supply tank. Water channel in the ice tray may freeze, ice cube may connect together, and convex may come out, if insert water over the mark or pour water by kettle.

About the ice

- Ice made with water containing a lot of mineral substances such as mineral water, can cause to ice to form with a white sediment (white crystals). These are only mineral substances that have become crystallized. It is harmless.
- If ice is stored for a long period of time, the ice cubes may cling together or become smaller. (This is known as the phenomenon of sublimation.)
- Ice-making may take longer with frequent opening/closing of the door, or depending on the ambient temperature.




Please pay enough attention when crush the ice which stuck in ice storage corner.

It may cause injuries.

Energy Saving Mode

This mode learns each family's method of use and operates with the optimal state for each compartment.



If Energy Saving Mode is set, $\frac{\text{ENERGY}}{\text{SAVING}}$ is displayed

If switched to power saving operation while

Energy Saving Mode is set, ECO is displayed.

Tips for using the refrigerator wisely

Temperature settings

Setting each compartment to a relatively low operation reduces the consumption of electricity.

Opening and closing compartment doors

The refrigerator consumes more electricity if you open and close the compartment doors frequently or leave the doors open for a long time.

Energy Saving Mode

In this mode, the refrigerator automatically operates in an energy saving fashion when the temperatures are stable in the compartments. The refrigerator is not set in this mode when newly installed.

Storing foods

Do not stuff the compartments with too much food or do not place foods in manner to cover the cold air outlets. Or else, cold air does not flow through optimally in the compartments, causing the foods to take time getting cool or frozen and increase electric power consumption.

ECO Lights-Out

In the following cases, energy saving mode will be cancelled and the light will turn off.

- When the doors are frequently opened and closed
- When Rapid Cool is operating
- After defrosting
- When set to Supercool Chilling.


(After the freezer compartment is sufficiently cold and stable, energy saving mode will automatically restart.)



Detail Setting


Performing Temperature Adjustment

The temperature of each compartment can be adjusted. Use the refrigerator and freezer to "COLD" usually.



Refrigerator/Freezer Compartment Temperature

The display changes each time star is touched and the temperature can be set to 5 different levels.




Sliding Case(lower)(When Supercool Chilling is set)
Temperature

Can be adjusted only when Supercool

Chilling is set.

→ Page 9

The display changes each time sater is touched.




Notice

- The temperatures described here are measured in the lower centre of the refrigerator after the temperature has stabilized when the surrounding temperature is 30°c and the doors are closed without any food inside. The temperature fluctuates with factors such as food storage conditions and how often the doors are opened and closed.
- Before and after defrosting, the temperature inside the refrigerator may drop or rise temporarily.
- When food freezes in the refrigerator compartment or lower case, set the refrigerator temperature setting to COLD LESS COLD and the lower case temperature setting (when Supercool Chilling is set) to LESS COLD.

Detail Setting

Rapid Cool

When storing a large amount of food, protect the food's freshness by rapidly cooling it.



Notice

• The sound of the refrigerator running gets louder during Rapid Cool, because it is operating at high speed.

How to remove and clean accessories



Unplug the electrical plug.

If it is not unplugged, it will cause an electric shock.



Do not take apart, repair or convert. Do not continue to use with damaged parts.

This can cause injury, an electric shock or a fire.

** Wait 10 minutes or more before you replug the electrical plug into the outlet. If you plug it in immediately after unplugging it, the refrigerator will not run.

How to maintain Q&A



- Q. If dirt is noticed.
- A. Please wipe as soon as possible.
 - Wipe with a soft towel soaked in warm water.
 - For hard to remove dirt, please use a kitchen detergent (neutral type) and wipe off with water.
 - Wipe off oil stain or citrus juice immediately.
 - Door packing may cause damage or cold air leakage if you leave the dirt. Please wipe off the moisture with dry towel after wipe off with soft and soak towel.
- Q. Can the shelf, case and pocket be removed?
- A. For removable parts, please see ⇒ Page 17

Please take heed

Do not use the following items.

Alkalinity or alkalescent kitchen detergent, polishing powder, soap powder, alcohol, benzine, thinner, petroleum, acid, scrub brush, hot water, etc.

Plastic parts (door handle, cap, case, etc.)


will crack, and glass shelf or painted surface may damage or rust.



Power Plug

For safety, please periodically check the power plug and cords.

- Unplug the electrical plug from the outlet and inspect.
- 2 Is there any damage or abnormal heat coming from the plug or cord?
- Wipe away dust from the plug and around the plug area with a dry cloth.
- Insert the electrical plug fully into the outlet.





Wipe out the dust in power plug periodically.

It may cause fire or insulation failure.

Refrigerator rear side and floor

Dust and dirt can accumulate in the ventilation space behind the refrigerator. Please clean periodically for energy saving purposes.

Soot and dust


- 1 Remove the toe grille.
- 2 Turn the adjustable supports to raise them from the floor,and pull out the refrigerator. We recommend laying out protective material on the floor to prevent the floor from being damaged. Also, be careful not to injure yourself.
- Remove the dust from the rear panels, walls and floor, and wipe off any dirt.
- 4 Check for water dripping on the floor.



Do not put your hands or feet under the refrigerator.

It may cause injury.

Use reverse procedures to put accessories back in place.



Glass shelf

Lift up the front side by both hands.





If forcefully pulled outward damage may occur to door side. Please slowly pull and take out.



To ensure that glass side is attached or removed.


If the glass is not attached properly, it will out and falls which may cause injury.

Free pocket (large), (small) / Bottle pocket /Capsule door pocket

- Lift upward holding right and left sides.
 - *The piece is attached quite firmly.








It may fall if not attached properly, and may cause injury.



- Open the drawer-door fully.
- 2 Lift out the case.




4 Lift out the case.




Freezer Compartment

- 1 Open the drawer-door fully.
- 2 Lift up the freezing case (upper) towards you.
- Take out the freezing case (upper), and while slightly lifting up the door draw out and tilt downwards.
- 4 Lift up the freezing case (lower) towards you.



Support cover


Remove by pulling forward on both sides.



Sliding case (upper), (lower)

Pull forward.






Sliding case (upper)

*Wide chilled case lid cannot be removed.

※If difficult to take out, please remove wide chilled case after removing the bottle pocket.

Liquid-Catching Indentations

Wipe away any dirt, liquid or condensation.



How to maintain your automatic ice-maker

scale, mold, etc. Please remove water when not making ice.

because it may cause deformation.

For once-a-week Water supply tank / Purification filter

If mold forms easily in the certain types of water, clean about 2 or 3 times a week.



Take off the lid and wash with water.

(Temperature tolerance approx 60 °C)



Remove and wash with water. Normally, it does not need replacing. Please replace for the following reasons:

- If something other than water was put in and the opening got blocked.
- If it is damaged.

If mold, etc. is forming.

To buy another filter, please inquire at the store where you bought your unit.

For once-a-month Water supply pump



Remove it from tank.



Turn the pump and take out.




Take out the pipe, Turn the cap and remove, Take out the impeller and wash with water.

* The impeller is made with a magnetic material. Clean thoroughly with water, making sure there are no substances on it.

4 Return parts by following the reverse procedure.


Pointers for assembling the water supply pump

If it is not assembled properly, it may not make ice or it may make a loud sound. Please check on the following.




The claw on the cap (1) is turned to put onto the protruding part (2) of the water supply pump.

 Check to make sure that the impeller is inside.




Attach the water supply pump properly to the water supply tank by turning and attaching.



Insert the pipe into the water supply tank opening, Connect the pipe to the water supply pump.

※ Check to make sure that there are no substances at the connection point of the two pipes.

For once-a-month Water supply pipe



Take out the water supply tank.



Take out the water supply pipe and wash with running water.

The water receptacle and hose part cannot be removed.



Return back to original positions.

Make sure to insert the water supply pipe properly so that there's no difference in surface level between facet A and facet B is.

5 Freezing Case

Return the water supply tank and, if does not sit in properly, re-set the water supply pipe. If removal or assembly are not done correctly, a problem such as a water leakage will occur.

Cleaning the ice-making tray (rinsing)

- Take ice out of the ice storage container, close the freezer door.
- Fill water supply tank with water, put back in original position.



- Touch differ about 5 seconds.
 - MAKE and STOPICE will blink for about 1 minute.
 - The stop ice-maker light (red) will blink for about 1 minute. (It rinses the ice-maker tray with water from the water supply tank.)

 When light stops blinking, it will return to the previous indication
- Repeat 3 2 or 3 times.
 - Remove the Freezing Case (upper) discard water and ice. Do not throw out noise reduction mat (same as p.11)

Notice

- Do not use washing agents such as kitchen detergents, benzene or bleach to clean the water filter. It will cause ice to have an odor.
- If you use a bleach to clean your water supply tank or lid, please follow product directions carefully.
- Assemble the water supply pump properly and firmly. If it is not assembled properly, it may not make ice or it may make a loud sound.
- Please attach the lid of water supply tank securely. If the lid is not attached properly, the lid may be out and the water supply tank will fall.

Other Issues (Power Outages, Child Safety Lock, Setting Reset, When DEMO Lights Up)

Power Outages

- Minimize the frequency of opening the doors, and avoid adding more food.
- Operation panel settings other than the temperature settings may change. Check the settings. (Child Safety Lock, etc.)

To Prevent Accidental Button Operation (Child Safety Lock)

Locks the operation panel to prevent accidental icon operation by children.

- Touch for about 5 seconds or more when the door is closed (until the buzzer sounds).
 - lights up when the setting is finished.
 - Setting cannot be changed during Child Safety Lock.

To Cancel

Again, touch for about 5 seconds or more when the door is closed (until the buzzer sounds). goes off when the setting is cancelled.

To Reset Settings

Returns the settings to their initial conditions (at the time of purchase), for example if you have forgotten the settings.

- 1 Touch to light up an icon.
- 2 Touch for about 10 seconds (until the buzzer sounds twice).

The following settings will be reset.

- Supercool Chilling
- Rapid Cool
- **
- Energy Saving Mode
- €


• The "ICE STOP" setting for ice making will not be reset.

When DEMO Lights Up

When lights up, the refrigerator is in demonstration mode. The refrigerator does not cool in this mode. Contact the retail store where you purchased the refrigerator, or cancel the demonstration operation with the following procedure.

To Cancel

- 1 Keep the doors of the freezer compartment open.
- ② Light up the icons and press ☑, ※ and ① at the same time for at least 5 seconds.
- 3 Check that DEMO is turned off.
 - The demonstration mode was not cancelled if it lights up.




Other Issues (Door Alarm, Mark, When Not Using the Refrigerator for a Long Time)

When the Door Alarm Sounds and the Interior Light of the Refrigerator Compartment Blinks (Door Alarm)

The door alarm (with alarm sound, interior light, and compartment display) is activated when a door is open for 1 minute or longer.

The pattern of the door alarm sound and the action of the interior light and compartment display area are as follows depending on how long the door has been left open.

Time for which the door left open	1 minute	2 minutes	3 minutes	4 minutes	5 minutes or longer	60 minutes or longer
Alarm sound		4 short beeps, then 3 long beeps	4 short beeps, then 4 long beeps	After 4 short beeps, Continuous long beeps	Continuous s	hort beeps
Interior light	On Blinks twice per minute Off					Off
Compartment display area	The compartment display area will blink in synchronization with the alarm sound			alarm sound		



- Check that the doors are not left ajar or do not have any food trapped (the packing, the back of the drawer cases). (Check at least once a month.)
- Refrigerator and Freezer doors have an opening and closing sensor.
- Check the refrigerator compartment door rotating partition.
 → Page 8

When the Alarm Cannot be Turned Off

Check that there are no gaps between the door.

When the alarm cannot be turned off, there may be a malfunction and an inspection is required. Contact the retail store where you purchased the refrigerator.

To Stop the Alarm (Continuous Short Beeps)

The alarm can be temporarily stopped in the time before the refrigerator is repaired.

Press for at least 5 seconds.

* If performing the above operation does not turn off the alarm, or the alarm periodically sounds, check peripheral machinery as well.

When the Mark Blinks Rapidly (About 5 Times per Second)

When the refrigerator will not cool, there may be a malfunction and an inspection is required. Contact the retail store where you purchased the refrigerator.

When Not Using the Refrigerator for a Long Time (When the Power Plug Is Unplugged)

- Set to the "STOP" ice making mode.
 Pages 12
 - Check that STOP ICE is lit. Clean the auto ice-maker → Pages 18
- 2 Remove the power plug.
- 3 Empty any water or ice from the water tank, and ice storage box and clean.

Wash the water tank, water supply pump, tank pipe, tank cap, lid, water supply pipe, ice storage box, soundproof mat, and ice server, dry them completely, and then return them to their original positions.

- **⇒** Pages 18
- Do not dispose of noise reduction mat.
- Clean the interior of the refrigerator and open the doors for 2 to 3 days to dry the inside.
 - * If the refrigerator is not dried sufficiently, it may cause mold, odors, or refrigerant (gas) leaks due to condenser corrosion.


Notice

• Wash the water tank, water supply pipe, and before making ice for the first time, or if you have not made ice for more than a week. Odors or dust may be adhering to the parts.


Other Issues (To Move or Transport the Refrigerator)


To Transport the Refrigerator

- ① Empty any water or ice from the water tank, ice tray, and ice storage box. → Pages 18
- 2 Wear protective gear (gloves).
- Remove the adjustable support cover, and then rotate and raise the adjustable supports.
 → Page 5
- A Remove the power plug.
- **6** Lay towels under the drainage port and the lower rear edge of the refrigerator, and position a container or tray with a height of about 3 cm on the towels to collect the water.
 - * The towels prevent floor damage, and water from being spilled on the floor.




- * Because the refrigerator is heavy, the work must be performed by at least 4 people.
- * The work must not be performed by small children or people who are not capable of doing heavy work. Ask a specialist transportation company.











When the Transportation Time Is Long, for Example When Moving House

 Frost from the condenser inside the freezer compartment will melt, and may spill water when the refrigerator is transported.
 It may take 1 day to defrost after unplugging the power plug.



Do not damage the refrigerator's refrigerant circuit (pipes).

Because combustible refrigerant is used, this may result in fire or an explosion.

To Move the Refrigerator in Forward and Backward Directions

- Remove the adjustable support cover, and then rotate and raise the adjustable supports cover.
 ▶ Page 5
- 2 Lay protective material under the casters and rear supports to prevent damaging the floor.
- **3** Move the refrigerator in the forward and backward directions.
 - * Moving in any direction other than forward and backward may damage the floor. Please make sure to lay protective material such as a plate or board on the floor.

Other Issues (Temperature Fine Adjustment Mode)

To Control the Temperature More Precisely (Temperature Fine Adjustment Mode)

The temperature can be set to 11 different levels for the refrigerator compartment and freezer compartment,

• When temperature fine adjustment mode is set, the compartment display blinks about every 10 seconds.

Setting the Temperature Fine Adjustment Mode

- 1 Touch to light up icons.
- Touch and select the compartment you would like to set to temperature fine adjustment mode.
- Touch select for at least 5 seconds (until the buzzer sounds).
 - The refrigerator compartment, freezer compartment, can all be set with a single operation.

To Cancel


The same operation as above.

• If the setting is reset, it will be cancelled.

Performing the Temperature Fine Adjustment

- Touch to light up icons.
- Touch to select the compartment to perform temperature fine adjustment.
- Repeatedly touch sterm to perform temperature fine adjustment.

Display Example: When the refrigerator compartment is set to Temperature Setting 5.



Refrigerator Compartment / Freezer Compartment

	Temperature setting
1	COLD COLDER
2	LESS COLD COLDER
3	LESS COLD COLD © COLDER

4	LESS COLDCOLDCOLDER
5	COLD COLDER
6	LESS COLD COLD COLDER

7	LESS COLD COLD
8	LESS COLD COLD COLDER
9	COLD COLDER

10	LESS COLD COLDER
11	COLD COLD COLDER

^{*} represents a blinking display.

Troubleshooting

Before contacting MITSUBISHI ELECTRIC SERVICE CENTRE or its service agent or making a repair request, check the following.

If the problem persists, contact the retail store where you purchased the refrigerator as soon as possible.

Frequently asked questions in the initial period and in summer

The refrigerator does not cool at all!

- The refrigerator takes time to cool when you first start using it. In summer, it may take up to 24 hours for the inside to be fully cooled. ⇒ Page 5
- If DEMO is shown on the operation panel, cancel demonstration mode. ⇒ Page 19
- Check if the power plug is disconnected or the circuit breaker has tripped.





- The outer walls heat up significantly (to about 50 to 60°C) immediately after installation and in summer. This is because the heat discharging and condensation prevention pipes are located on the sides and the top of the refrigerator. They are required for cooling and the heat is not an abnormality.
- The refrigerator compartment rotating partition also has a condensation prevention heater that heats up.
- A heat discharging fan is located under the refrigerator.
 Warm air may be discharged from here.



	Problem		Check	Explanation and Action
Cooling Performance	Does not cool well	0	Has enough time passed after installation?	It takes 4 to 5 hours for the refrigerator to cool, and may take 24 hours in summer to fully cool.
		2	Is the temperature setting set to "LESS COLD"?	Set to "COLD or COLDER" or to the setting of your liking.
				Page 14
rfor	Ice melts	3	Is the flow of cold air being blocked? Are the doors being opened frequently, or left ajar? Is food blocking them?	Make space between foods and remove any food that is sticking out of shelves or touching the ceiling of the drawers. Avoid opening and shutting the door for a while.
ng Pe		4	Is heat discharging being blocked? Check if there is no gap around the refrigerator and the refrigerator is exposed to direct sunlight.	Check that there is enough space around the refrigerator and that it is properly installed. → Page 4
iloc	Food freezes in the refrigerator and vegetable compartments	0	Is the temperature on the operation panel set to "COLDER"?	Set the temperature to "COLD". Also, the temperature with each setting may temporarily decrease.
ပိ		2	Is food with a lot of moisture stored at the rear of the shelf?	Place drinks and food containing a lot of water, such as tofu, vegetables and fruits, at the front of the shelf or in a door pocket.
		©	Is the surrounding temperature $5^{\circ}\mathrm{C}$ or less?	Food in the refrigerator compartment or vegetable compartment may freeze. Freezing is less likely when the temperature settings are set to "LESS COLD". Page 14
ing	Food in the lower case freezes	•	Is the surrounding temperature 5°C or less?	Set the temperature of the lower case (when Supercool Chilling is set) to "LESS COLD". → Page 14
Supercool Chilling	case neezes	2	Is the refrigerator compartment's temperature set to "COLDER"?	Set the temperature of the refrigerator compartment to "COLD" or "LESS COLD" or set the temperature of the lower case (when Supercool Chilling is set) to "LESS COLD". Page 14
oerco		3	Have you placed easily frozen food containing a considerable amount of moisture in the compartment?	Place food containing a lot of water at the front of the refrigerator compartment or in a door pocket.
Sup			Are you piling frozen food onto other food?	Food that touches frozen food may freeze.

Troubleshooting (Continued)

	Problem	Check	Explanation and Action
Making	Cannot make ice Water in the tank	Has enough time passed after installation?	It takes 4 to 5 hours for the refrigerator to cool, and 24 hours or more in summer to make ice.
	stays at the same level	② Has food, the ice server, or another object been left in the ice storage box? Also, has the ice been leveled?	Remove food or other objects from the ice storage box. The ice storage box is judged to be full of ice. Also, spread the ice out flat all the way to the front.
92 :		3 Is the ice making setting for the ice making compartment set to "STOP ICE"?	Set the ice making compartment's setting to
Automatic		4 Is the water supply pipe installed correctly in the tank holder area?	Remove any foreign objects creating gaps and install the pipe so that it is not loose. Page 18
		6 Are the water supply pump and tank pipe installed correctly onto the water tank?	Check that they are correctly installed. In particular, ensure that the opening of the tank pipe inside the tank is installed firmly to the tank. → Page 18
	Water tank or water supply pipe freezes	Are the water supply pipe and water tank installed to the refrigerator without any gaps? Additionally, is the tank pipe installed to the water tank without any internal gaps?	Check the installation around the water tank. If there are gaps, the cold air may escape and water may freeze. ▶ Page 18
	Ice is small or joined together	Has ice been stored inside the ice storage box for a long time?	Ice stored inside the ice storage box for a long time may shrink or join together (due to a phenomenon called sublimation). When not using ice, it is recommended that you remove the water and stop the ice making.

Troubleshooting (Continued)

	Problem	Check	Explanation and Action
Sound	There is a rattling sound	Are any nearby objects in contact with the refrigerator? Make sure that the water tank and water supply pipe are properly installed.	Leave space around the refrigerator. When objects or walls are in contact with the refrigerator, sounds may be heard. Push in the water tank until it touches the rear side. If it is out of position, the sound of the water supply pipe can grow loud. If there are any gaps or looseness, the water may freeze, causing sounds to be heard.
	Loud noises Worrisome noises (Noises described on the	The noise gets louder suddenly or the tone changes.	Immediately after beginning use, when the weather is hot, when the doors are frequently opened and closed, and in similar situations, the refrigerator switches to high-speed operation and cools with high power.
	right are normal)	② A whistling sound is made after closing a door. ③ A whipping or dripping sound is sometimes heard from inside the refrigerator after a door is opened.	This is the sound of the cooling fan motor starting. This is the creaking sound as warm air enters and expands the plastic.
		Sometimes the sound of flowing or boiling water can be heard.	This is the sound of the refrigerant (gas) flowing.
		A rattling or squeaking sound is made sometimes (every 1 to 2 hours).	This is the sound of the automatic ice maker. Even when there is no water in the water tank, the automatic ice maker and pump make a sound about every 100 minutes.
		6 After turning on the power, a thumping or creaking sound may be heard in the ice making "STOP ICE" mode (every 1 to 2 hours).	This is the sound of the operation check. The check is performed even in the "STOP ICE" ice making mode.
Door	Doors do not close Doors open easily	Is a door making contact with food or a case? Is too much food packed inside?	Store food so that the door does not make contact with the food when closed. In the refrigerator compartment, store food on the shelves and in the drawer doors store food so that it does not make contact with the ceiling when doors are shut and opened.
		2 Has food fallen behind a case in a drawer door, or is the power cord or another object trapped between the refrigerator and a door?	Remove any objects. Make sure that the door does not trap objects such as food, power cords or plastic bags.
		3 Is the refrigerator installed stably? Are the adjustable supports making contact with the floor?	Lower the adjustable supports to raise the front side slightly and make the doors easier to close. → Page 5
	The alarm will sound	Check if the doors are closed.	Refer to "When the door alarm sounds" and "When the alarm cannot be turned off". → Page 20
nel	The operation panel does not	1 Is It?	Cancel the Child Safety Lock. → Page 19
Pal	respond	Are the user's fingers or the operation panel wet or dirty?	Wipe off the moisture and dirt on the operation panel and fingers.
tion		3 Are you repeatedly touching it?	Let your finger off the operation panel once and then touch it again. It will respond when you let you finger off.
Condensation/ Frost Operation Panel		Are seals and tapes put on the operation panel?	Remove the seals and tapes.
	Reacts without a touch	Are there any towels, plastic bags, papers, etc. over the operation panel?	Remove the towel, plastic bag, paper, etc.
	Condensation forms on the outer walls and inside the refrigerator	Are the doors being opened frequently, or are there any gaps?	Close the doors so that there are no gaps. When moisture in the air cools, it forms frost or condensation. When there is high humidity, condensation or frost will form even in very small gaps. Regarding the Vegetable Compartment Page 10
	Frost forms in the freezer compartment Water drips onto	2 Is the humidity high, for example is it raining?	Condensation may form temporarily. Wipe off with a dry cloth. Condensation may cause frost to form in the freezer compartment. Please minimize the time when doors are kept open.

Troubleshooting (Continued)

	Problem	Check	Explanation and Action
Others	There are lines like scratches on the clear parts	Is it a thin line without level difference on its both sides?	This is a mark created at the time the plastic is molded. It is created at the joint where resin flows. This is not a flaw.
	There are holes in the door and the refrigerator walls	Are there small holes in the door or in the refrigerator walls?	These are holes that let air escape for the injection of foam heat insulating materials in the manufacturing process. These are not flaws or abnormalities.
	The surface of the sides or doors is warped	Does the light reflected on the surface appear distorted?	Warping and surface waviness occurs in the manufacturing process. When light hits the surface, it may appear warped, but this is not an abnormality.
	Noise interferes with televisions	Is the refrigerator installed near an electronic device such as a television?	Install the refrigerator away from electronic devices such as televisions.
	or other devices	② Is the power to the refrigerator supplied from a socket near the entry hole of the antenna cable?	Use separate power. When using a 2 pin plug, use grounding.
	There is a bothersome smell (Food / Ice)	• Have you placed food with strong odor inside the refrigerator without sealing it in a container?	Store food with strong odor in packaging. The odor may not be removed with a deodorizing apparatus.
		② Do you periodically clean the water tank?	Clean periodically. → Page 18

Accessories

	Model name	MR-LX68EM
	Accessories	Quantity
	Glass shelf	2
	Sliding case (upper)	1
nent	Sliding case (lower)	1
oartn	Water supply tank (including purification filter)	1
Refrigerator compartment	Free pocket (large)	2
ator o	Free pocket (small)	2
igera	Free egg tray	1
Refr	Bottle pocket	2
	Capsule door pocket	1
Vegetable	Vegetable case	1
compartment	Sliding case	1
	Freezing case (upper)	1
-	Freezing case (lower)	1
Freezer compartment	Ice storage box	1
Free	Noise reduction mat	1
0	Ice server	1
	Leg support cover (Right and Left)	1

■ This appliance is designed for use in Singapore, Malaysia and HongKong only and can not be used in any other country. No servicing is available outside of Singapore, Malaysia and Hong Kong.

MODEL NAME	COUNTRY NAME
MR-LX68EM-P	SINGAPORE
MR-LX68EM-ML	MALAYSIA
MR-LX68EM-H	HONG KONG

CAUTION

1. This appliance is designed for use in ambient temperature listed below.

MODEL NAME	AMBIENT TEMPERATURE RANGE	CLIMATIC CLASS
MR-LX68EM-P	16 °C ~ 43 °C	Т
MR-LX68EM-ML	16 °C ~ 43 °C	Т
MR-LX68EM-H	16 °C ~ 38 °C	ST

The internal temperatures could be affected by such factors as the location of the refrigerating appliance, ambient temperature and the frequency of door opening, and, if appropriate, a warning that the setting of any temperature control device might have to be varied to allow for these factors.

- 2. A rise in temperature of the frozen food during manual defrosting, maintenance or cleaning could shorten the storage life.
- 3. Food to be frozen is not to be placed in direct contact with food in storage and, if appropriate, that it could be necessary to reduce the quantity to be frozen if freezing every day is anticipated.
- 4. The electrical power failure for 1-2 hour will only slightly affect the inside temperature. However, opening and closing the door results in temperature loss. In case there is more than 24 hours electrical power failure, the food should be taken out from the fridge.
- 5. In case you are leaving or there is no food in the fridge for more than 3 weeks, The fridge should be unplugged and cleaned.

- The appliance is not intended for use by young children or infirm persons without supervision.
- Young children should be supervised to ensure that they do not play with the appliance.
- WARNING Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.
- WARNING Do not use electrical appliances inside the food storage compartments of the appliance, unless they are of the type recommended by the manufacturer.
- WARNING Just in case of having damaged the refrigerant circuit, do not use electric items or fire equipments near by, and open the window to ventilate the room. And contact the retail store at which you purchased it or the following MITSUBISHI SERVICE CENTER.
- The refrigerator contains flammable refrigerant (R600a: iso-butane).
- The refrigeration system behind and inside the refrigerator contains refrigerant. Do not allow any sharp objects to come into contact with the refrigeration system.
- Do not block the openings on the circumstances of the refrigerator.
- The user manual should be handed over to any person who would use or handle the refrigerator whenever the refrigerator would be transferred to another location and delivered to a recycling plant.

- 該設備不適合青少年兒童或體弱者在沒有監督 的情況下使用。
- 年幼的孩子應該受到監管,以確保他們不玩耍設備。
- 警告-不要使用機械設備或其他方式加速除霜 過程中,以及其他除製造商所建議的方式外。
- 警告-不要在食物儲藏室裡面使用電子設備, 除非是由生產商的建議的產品類型。
- 警告- 如果冷媒迴路已損毀,不要使用周圍 的電器用品或滅火設備,並開啟窗戶以使室 內空氣流通。請聯絡您購買本雪櫃的商店或 以下的三菱服務中心。
- 本雪櫃含有易燃的冷媒 (R600a: 異丁烷)。
- 雪櫃內部及背後的製冷系統含有冷媒,嚴禁 以任何尖銳物體接觸製冷系統。
- 不要堵塞雪櫃周圍的空間。
- 如果雪櫃要搬運到另一地方或交給回收商, 使用說明書亦應該與冰箱一併交給處理和 運送的人士。

MITSUBISHI ELECTRIC CORPORATION

HEAD OFFICE: TOKYO BUILDING 2-7-3, MARUNOUCHI, CHIYODA-KU, TOKYO 100-8310, JAPAN

PHONE: +81 (3) 3218-2111

http://Global.MitsubishiElectric.com

三菱電機株式会社

總公司:〒100-8310 日本東京都千代田區丸之内2-7-3 (東京大廈)

電話:+81(3)3218-2111

http://Global.MitsubishiElectric.com

SOLE AGENT in Hong Kong MITSUBISHI ELECTRIC (HONG KONG) LIMITED 20/F., Cityplaza One, 1111 King's Road, Taikoo Shing, Hong Kong

Talkoo Shirig, Horig Korig

Tel. (852) 2510 0555 Fax: (852) 2234 5138

香港總代理

三菱電機(香港)有限公司

SOLE AGENT in Singapore
MITSUBISHI ELECTRIC ASIA PTE LTD

307, ALEXANDRA ROAD # 05-01/02

MITSUBISHI ELECTRIC BUILDING SINGAPORE 159943

Head Office: Tel. (65) 6473-2308

SOLE AGENT in Malaysia

MITSUBISHI ELECTRIC SALES MALAYSIA SDN. BHD. (CO.NO.:11098W)

LOT 11, JALAN 219, PO BOX 1036,

46860, PETALING JAYA, SELANGOR DARUL EHSAN, MALAYSIA.

Head Office: Tel. (603) 7955-2088 (10 lines)

★ MITSUBISHI ELECTRIC CORPORATION